МІНІСТЕРСТВО ОХОРОНИ ЗДОРОВ'Я УКРАЇНИ

Полтавський державний медичний університет

ПРОГРАМА ТА МАТЕРІАЛИ

Всеукраїнської науково-практичної конференції з міжнародною участю

«Сучасні досягнення та перспективи розвитку хірургічної стоматології та щелепно-лицевої хірургії»,

присвяченої 100-річчю з дня заснування
Української медичної стоматологічної академії
та
80-ій річниці з дня народження одного з фундаторів
хірургічної стоматології
та щелепно-лицевої хірургії України
професора Рибалова Олега Васильовича

(онлайн формат)

Україна, Полтава
7 травня 2021 рік

Міністерство охорони здоров'я України

Полтавський державний медичний університет

Українська асоціація

черепно-щелепно-лицевих хірургів

Всеукраїнська асоціація щелепно-лицевої хірургії

Українська асоціація стоматологічної освіти

ПРОГРАМА ТА МАТЕРІАЛИ ВСЕУКРАЇНСЬКОЇ НАУКОВО-ПРАКТИЧНОЇ КОНФЕРЕНЦІЇ З МІЖНАРОДНОЮ УЧАСТЮ *«СУЧАСНІ ДОСЯГНЕННЯ ТА ПЕРСПЕКТИВИ РОЗВИТКУ ХІРУРГІЧНОЇ СТОМАТОЛОГІЇ ТА ЩЕЛЕПНО-ЛИЦЕВОЇ ХІРУРГІЇ»*, ПРИСВЯЧЕНОЇ 100-РІЧЧЮ З ДНЯ ЗАСНУВАННЯ УКРАЇНСЬКОЇ МЕДИЧНОЇ СТОМАТОЛОГІЧНОЇ АКАДЕМІЇ ТА 80-ІЙ РІЧНИЦІ З ДНЯ НАРОДЖЕННЯ ОДНОГО З ФУНДАТОРІВ ХІРУРГІЧНОЇ СТОМАТОЛОГІЇ ТА ЩЕЛЕПНО-ЛИЦЕВОЇ ХІРУРГІЇ УКРАЇНИ ПРОФЕСОРА РИБАЛОВА ОЛЕГА ВАСИЛЬОВИЧА

ПОЛТАВА

7 травня 2021 року

ОРГАНІЗАЦІЙНИЙ КОМІТЕТ НАУКОВО-ПРАКТИЧНОЇ КОНФЕРЕНЦІЇ

ГОЛОВА

Ждан В.М. – в.о. ректора Полтавського державного медичного університету, Лауреат Державної премії України в галузі науки і техніки, Заслужений лікар України, д.мед.н., професор.

ЗАСТУПНИКИ ГОЛОВИ:

Дворник В.М. – перший проректор з науково-педагогічної роботи, д.мед.н., професор;

Кайдашев І.П. – проректор з наукової роботи, д.мед.н., професор;

Ксьонз І.В. – проректор з науково-педагогічної та лікувальної роботи д.мед.н., професор;

Аветіков Д.С. – проректор з навчальної роботи, д.мед.н., професор;

Сидорова А.І. – декан стоматологічного факультету, к.мед.н., доцент;

Скрипников П.М. – головний лікар КУ «Полтавський обласний центр стоматології – стоматологічна клінічна поліклініка», завідувач кафедри післядипломної освіти лікарів-стоматологів, д.мед.н., професор;

Локес К.П. – завідувач кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї, к.мед.н., доцент;

Ткаченко П.І. – завідувач кафедри дитячої хірургічної стоматології, д.мед.н., професор;

Новіков В.М. – завідувач кафедри пропедевтики хірургічної стоматології, д.мед.н., професор.

ЧЛЕНИ ОРГКОМІТЕТУ:

Іваницька О.С. – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Волошина Л.І – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Розколупа О.О. – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Скікевич М.Г. – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Ставицький С.О. – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Яценко І.В. – к.мед.н., доцент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Бойко І.В. – к.мед.н., асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Бондаренко В.В. – к.мед.н., асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Буханченко О.П. – доктор філософії, асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Гаврильєв В.М. – к.мед.н., асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Стебловський Д.В. – к.мед.н., асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Яценко П.І. – доктор філософії, асистент кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Резвіна К.Ю. – к.мед.н., доцент кафедри пропедевтики хірургічної стоматології.

ВІДПОВІДАЛЬНІ СЕКРЕТАРІ:

Правда А.В. – старший лаборант кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Хатту В.В. – старший лаборант кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Личман В.О. – аспірант кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї;

Торопов О.А. – аспірант кафедри хірургічної стоматології та щелепно-лицевої хірургії з пластичною та реконструктивною хірургією голови та шиї.

ОРГКОМІТЕТ ВИСЛОВЛЮЄ ЩИРУ ПОДЯКУ

керівництву Полтавського державного медичного університету, спікерам, авторам публікацій за підтримку та участь у роботі науково-практичної конференції

KASKOVA L.F., MORGUN N.A., VASHCHENKO I.YU., CHUPRINA L.F., ARTEM'EV A.V. *DENTAL STATUS EXAMINATION POPULATION OF THE BRONZE ERA LIVED ON THE TERRITORY OF MODERN POLTAVA…….163-165*

LICHMAN V.O. *APPLICATION OF CRYOCONSERVATED PLACENTA IN COMPLEX TREATMENT OF PHLEGMON OF JAW-FACIAL LOCALIZATION……165-166*

MYTCHENOK M.P. *EFFICIENCY OF COMPLEX APPROACH IN CONDUCTING DENTAL TREATMENT AND PREVENTIVE MEASURES IN PATIENTS AGAINST TYPE II DIABETES……166-168*

POHODENKO-CHUDAKOVA I.O., ALI THERGAM ABDULAMEER ALI *LOCAL HYDROGEN INDEX OF RETROMOLAR REGION IN PRESENCE OF THIRD MOLARS AND IN THEIR ABSENCE…….....169-170*

POHODENKO-CHUDAKOVA I.O., MAKSIMOVICH E.V. *DETECTION OF LATENT MULTIPLE ORGAN FAILURE IN OUTPATIENT DENTAL PATIENTS……...172-173*

POHODENKO-CHUDAKOVA I.O., MAKSIMOVICH E.V., SAEED OMAR ABDULRAKHMAN SAEED *ANALYSIS OF THE PREVIOUS DENTAL STATUS OF PERSONS WITH COVID-19…….173-175*

RYBALOV O.V., SKIKEVYCH M.G., ANDRIYANOVA O.YU., YATSENKO P.I. *RESIDUAL PHENOMENA OF THE TRANSFERRED COVID-19 IN THE MAXILLOFACIAL REGION OR ITS COMPLICATIONS……...175-177*

SHIRINOV M.K., NORMURADOV N.A., PULATOVA B.J., BABADZHANOV J. B.
APPLICATION OF THE PROPOSED URANOPLASTY METHOD IN CHILDREN WITH CONGENITAL SPLIT OF THE UPPER LIP AND PALATE……..177-179

TOROPOV O.A., TOROPOVA A.A. *THE EFFECT OF CRYOEXTRACT PLACENTAL ON THE FORMATION OF PATHOLOGICAL SCARS AT THE INTRAOPERATIVE STAGE IN COMPARISON WITH THE STANDARD METHOD……179-181*

References

1. World Health Organization: website. Available at: https://www.who.int/health-topics/coronavirus#tab=tab_1 (accessed 11.02.2021).

RESIDUAL PHENOMENA OF THE TRANSFERRED SARS-COV-2 IN THE MAXILLOFACIAL REGION OR ITS COMPLICATIONS

RYBALOV O.V., SKIKEVYCH M.G., ANDRIYANOVA O.YU., YATSENKO P.I.

Poltava State Medical University, Poltava, Ukraune

Today, the issues of the incidence of the Covid-19 virus and its complications are extremely relevant. Much attention in the scientific literature is given to possible complications. The most often described sufferings of the lungs, heart. It became known that the coronavirus can affect the brain, nasopharynx, eyes, blood vessels, liver, kidneys and intestines. We have interesting data from clinicians and morphologists. Those who have had Covid-19 note the long-term effects of scarring of the lung tissue and kidney failure, inflammation of the heart muscle, arrhythmias, liver damage, cognitive impairment, psychosis, accompanied by a sharp change in mood. Observations from the Department of Systems Biology at George Mason University. 70% of patients who have had Covid-19 rarely observe pathology of internal organs. The main pathology is not cardiac, but in fatty hepatosis and fatty degeneration of the pancreatic tissue.

The purpose of our work was to highlight the complications (or residual effects) from the large salivary glands after the patients suffered from Covid-19.

Objects and research methods. Our observations were carried out at the Poltava Center for Salivary Gland Pathology. There were only 17 patients. Three or four weeks ago, they reliably suffered the disease. The function of the parotid salivary glands was studied using metal catheters, which were introduced into the mouth of the gland ducts for 10 minutes. The cellular composition of the secretion of the parotid

glands was investigated according to the method generally accepted in cytology. 8 patients underwent ultrasound examination of the large salivary glands.

Research results. The antiviral and symptomatic treatment given to the patients eliminated the leading symptoms of the disease. At the time of completion of treatment, general somatic symptoms were eliminated and they were discharged healthy. 3 patients complained of dryness in the mouth, especially at night and in the morning. 4 patients paid attention to dry mouth, burning sensation in the eye area. In 5 patients, along with dryness in the mouth and nose, there was a complete lack of sense of taste of food. 5 patients complained of a violation of the appearance of the face. This was the main complaint. The parotid-masticatory areas were enlarged, we could observe dryness of the mucous membranes of the mouth and eyes. All patients had short-term or long-term headaches. Before the viral disease, none of the patients and their relatives had diseases of the salivary glands. External examination in 8 patients did not reveal any facial asymmetry. Palpation revealed slightly enlarged parotid salivary glands, slightly compacted, slightly painful. The submandibular salivary glands were of normal consistency and were painless. These patients had a moderate amount of oral fluid in the mouth. Saliva of normal viscosity was released from the ducts of the parotid and submandibular glands. With sialometry of the parotid glands, there was a slight drop in secretion to 1.5 + 0.3 ml. Cytological examination of the secretion of the parotid glands determined a small number of cells of the columnar epithelium. Some of these cells had a tendency to necrosis; single squamous epithelial cells were found in the preparation. Findings. We evaluated the results of clinical examination data of 17 patients who had a viral Covid-19 infection and we observed them. In 3 - 4 weeks after recovery, there were complaints: dryness of the mucous membranes of the mouth, nose, conjunctiva of the eyes, loss of taste for food, enlargement of the parotid and submandibular salivary glands. It is possible to reliably state that patients have clinical phenomena of sialopathy.

The results of additional studies of the secretion of the parotid glands, data of the cytology of their secretion and ultrasound examination confirm the fall of the

secretory process in the glands of various degrees. The presence of elements of an inflammatory nature in the secret clearly defines the sialectatic process. The presence of headaches in the examined patients determines their probable vascular disorders in the components of the brain. Such changes can indirectly affect the vascular complex of the salivary glands and be the cause of the development of duct contractures and the cause of sialadenosis.

Perspectives. A promising direction in the examination of this category of patients is the study of the features of blood circulation in the vessels of the brain and salivary glands to clarify the pathogenesis of the existing sialadenosis.

APPLICATION OF THE PROPOSED URANOPLASTY METHOD IN CHILDREN WITH CONGENITAL CLEFT OF THE UPPER LIP AND PALATE

SHIRINOV M.K, NORMURADOV N.A, PULATOVA B.J, BABADZHANOV J.B.

Samarkand State Medical Institute, The Republic of Uzbekistan,

Tashkent State Dental Institute, The Republic of Uzbekistan

Relevance of the topic. The presence of a congenital cleft of the upper lip and palate in a child causes a number of serious aesthetic and functional disorders. In most cases, congenital pathology of the maxillofacial region leads to the disability of children, which emphasizes the relevance of solving the medical and social problem of treating children at an early age. The effectiveness of rehabilitation of children with congenital cleft of the upper lip and palate is assessed based on the results of complex surgical, orthodontic and speech therapy. However, until now there is no unified approach to the choice of the age and the method of plastic cleft palate.

Purpose of the study. Improving the efficiency of rehabilitation of children with congenital unilateral cleft of the upper lip and palate due to a well-founded approach to the choice of the method of plastic defect of the palate.